




icotronix - Premium Distribution Partner

Industrial connector solutions

TKD and Icotronix - Partner for your servo drive solution

TKD offers its customers decades of experience in the design of servo cables, as well as a strong awareness of quality and the environment. Our portfolio is complemented by lcotronix, as a strong partner for circular connectors for servo drives.

Icotronix specializes in circular connectors for servo drives. The company is located in Aiterhofen, Bavaria. Founded in 2016 by ambitious connector experts with decades of industry experience.



Modular system

Innovative, patented solutions

We take connection technology to the next level.

Proven shielding system

Innovative shield system with **360° cable shield.** Less parts because **integrated distance sleeve** on the insulating body.



Around the world, our team members work urgently to provide connectivity solutions and support, giving our customers what they need, when they need it.

The Icotronix Portfolio

| Product | TKD part no. | Icotronix part no. | Description | Clamping range/ type in mm | Other clamping ranges in mm |
|---------|----------------------------------|--------------------|--|-------------------------------|--------------------------------|
| | Immediately available from stock | | Immediately available from stock | | Short term orderable |
| | | | | | |
| -X- | 6507418 | A1AF2412BNNNN500 | M23 SIGNAL 12-pole with SCREW CLAMP RING | 6,5 - 10,0 | |
| | 6507419 | AIAF2417ANNNN500 | M23 SIGNAL 17-pole with SCREW CLAMP RING | 6,5 - 10,0 | Ø 3,5 - 5,0 |
| | | | | | Ø 5,0 - 7,5 |
| | 6507424 | B1AF2406ANNNN500 | M23 POWER 6-pole with SCREW CLAMP RING | 6,5 - 10,0 | Ø 9,0 - 12,5 |
| -> | 6507425 | BIAF2506ANNNN500 | M23 POWER 6-pole with SCREW CLAMP RING | 9,0 - 12,5 | Ø 14,5 - 16,7 |
| | 6507426 | BIAF2606ANNNN500 | M23 POWER 6-pole with SCREW CLAMP RING | 12,0 - 15,0 | |
| | 6507432 | B1AF2508ANNNN500 | M23 POWER 8-pole with SCREW CLAMP RING | 9,0 - 12,5 | |
| | 6507433 | B1AF2608ANNNN500 | M23 POWER 8-pole with SCREW CLAMP RING | 12,0 15,0 | |
| 2 | | | | | |
| | 6507420 | A3AC0012CNNNN500 | ANGLE BOX M23 SIGNAL 12-pole with O-RING | ROTATAB | LE FLANGE 25x25 |
| | 6507421 | A3AC0017CNNNN500 | ANGLE BOX M23 SIGNAL 17-pole with O-RING | ROTATABLE FLANGE 25x25 | |
| 0 | | | | | |
| 1.* | 6507422 | B3AC0006BNNNN500 | ANGLE BOX M23 POWER 6-pole with O-RING | ROTATABLE FLANGE 25x25 | |
| | 6507423 | B3AC0008BNNNN500 | ANGLE BOX M23 POWER 8-pole with O-RING | ROTATABLE FLANGE 25x25 | |
| | 8500450 | Z1-000010-01-00 | CONNECTOR for DRIVE-CLIQ-cable PROTECTION type IP67 - METAL | N. SIEMENS 6FX2003-0DM67 | |
| 28.5 | 6507427 | 54-00002-01-22 | POWER Crimping contacts 2,0 mm Crimping range 0,35 - 2,5 mm² | FEMALE CONTACT | |
| 23.9 | 6507430 | 03-00002-01-22 | POWER Crimping contacts 2,0 mm Crimping range 0,35 - 2,5 mm² | MALE CONTACT | |
| 17.8 | 6507428 | 04-000001-01-22 | SIGNAL Crimping contacts 1,0 mm Crimping range 0,14 - 1,0 mm² | FEMALE CONTACT | |
| 253 | 6507429 | 03-000001-01-22 | SIGNAL Crimping contacts 1,0 mm Crimping range 0,14 - 1,0 mm ² | MALE CONTACT | |

Customized solutions

We are also happy to realize an individual solution, such as:



State of the Art receptacles

The new receptacles are, thanks to the **ultra-compact design**, the **most compact** on the market and up to 330° ROTATABLE.

| Length: | 55,3 mm |
|---------|---------|
| Heigth: | 32,1 mm |
| Rotary: | 330° |





Plug it - Play it - Trust it

| UL |
|-----------------------|
| VIBRATION TEST |
| Shock test |
| Dust protection Test |
| Water protection Test |
| Derating Test |
| INSULATION RESISTANCE |
| |

| (YL) | File No. E514668 |
|---------------------------------------|---------------------------|
| $\left(\left((\bullet)\right)\right)$ | DIN EN 60068-2-6:2008-10 |
| <u></u> | DIN EN 60068-2-27:2010-02 |
| .dulut. | DIN EN 60529:2014-09 |
| | DIN EN 60529:2014-09 |
| | DIN EN 60512-5 2:2003-01 |
| | DIN EN 60512-3-1:2003-01 |
| / | |

According to the above standards

Available to order in addition to stock



all terminal ranges.



The flange sockets are also available with a flange size of 28x28mm both for power and signal.



NEW





The power connectors can also be ordered in the 9-pin version in

M40 series - power 6/8/9 pole.

Siemens S120 connector with screw and crimp connection.

Crimp tool for the contacts of the signal and power connectors.



About Infinite Electronics Infinite Electronics has a global portfolio of leading in-stock connectivity solution brands. Infinite's brands help propel the world's innovators forward by working urgently to provide products, solutions and real-time support for their customers. Infinite's brands serve customers across a wide range of industries with a broad inventory selection, same-day shipping and 24/7 customer service. Learn more at infiniteelectronics.com.

> TKD Kabel GmbH An der Kleinbahn 16 41334 Nettetal Phone +49 (0) 2157 8979-0 E-Mail info@tkd-kabel.de

www.tkd-kabel.de